



contents

Editorial: Disclosure of Conflict of Interest	151
PRIMARY ARTICLES	
Lawsuit Verdicts and Settlements Involving Reflex Sympathetic Dystrophy and Complex Regional Pain Syndrome	153
Brian C. Crick, Esq.; John C. Crick, MD	
Cost-Effectiveness Analysis of Free Vascularized Fibular Grafting for Osteonecrosis of the Femoral Head	158
Tyler Steven Watters, MD; James A. Browne, MD; Lori A. Orlando, MD, MHS; Samuel S. Wellman, MD; James R. Urbaniak, MD; Michael P. Bolognesi, MD	
Subatmospheric Pressure Therapy: Basic Science Review	168
Benjamin C. Wood, MD; Joseph A. Molnar, MD, PhD, FACS	
Treatment of Acute Proximal Humerus Fractures with an Evans Staple	176
Christopher R. Sforzo, MD; Jason J. Marshall, MD; Thomas W. Wright, MD	
Total Knee Arthroplasty: Factors Associated With Patient Compliance With Followup	182
Alexander Aleem, BS; John C. Clohisy, MD; Karen Steger-May, MA; Ganesh Kamath, MD; Rick W. Wright, MD	
Functional Outcome and Complications Using the Intramedullary Hip Screw for Intertrochanteric Fractures	188
Andreas F. Mavrogenis, MD; Vassilios Nikolaou, MD; Nikolaos Efstathopoulos, MD; Demetrios S. Korres, MD; Spyros G. Pneumaticsos, MD	
The Use of Osteo-conductive Stem-Cells Allograft in Lumbar Interbody Fusion Procedures: An Alternative to Recombinant Human Bone Morphogenetic Protein	193
Eubulus J Kerr III, MD; Ajay Jawahar, MD, MS; Terry Wooten, RT; Stephen Kay PA-C; David A. Cavanaugh, MD; Pierce D. Nunley, MD	
CASE REPORTS	
Heterotopic Ossification After Single-Incision Distal Biceps Tendon Repair With an EndoButton . . .	198
Mark T. Dillon, MD; Daniel J. Lepore, PA-C	

Late Compartment Syndrome of the Hand Due to Wasp Sting in a Child	202
Dimitrios V. Petratos, MD; Spyridon P. Galanakis, MD; Nikolaos A. Stavropoulos, MD; John N. Anastasopoulos, MD	
TECHNICAL NOTE	
Tissue Sparing Total Femoral Arthroplasty: Technical Note	206
Samuel Clifton Willimon, MD; Michael P. Bolognesi, MD; David E. Attarian, MD	
ANNOUNCEMENTS	210
CONTINUING MEDICAL EDUCATION QUESTIONNAIRE	211
CONTINUING MEDICAL EDUCATION ANSWER FORM	214

ERRATUM

The publisher would like to inform our readers that the incorrect version of the ad for Xiaflex was run in the 20-2 issue of JSOA. The inside front cover and two following pages should have reflected the same ad found in Volume 20, Issue 1 of the Journal of Surgical Orthopaedic Advances.

We apologize for this error.